



RANDALL
INNOVATION IN MOTION



Randall Bearings, Inc

P.O. Box 1258
Lima, Ohio 45802

Phone: (419) 223-1075
Fax: (419) 228-0200



RANDALL

Table of Contents

CDA932 13" Cast Bronze Solid & Cored Bars.....	3
CDA932 105" Cast Bronze Solid & Cored Bars.....	6

Pillow Block and Cast Bronze Standard Bushings catalogs may be downloaded off our website at www.randallbearings.com

Continuous Cast 13" Bronze Bars Alloy CDA932 (SAE 660)

ID	OD	Length	Unit Net Weight
Solid	1/2	13	0.97807
	5/8	13	1.48955
	3/4	13	2.10823
	7/8	13	2.83409
	1	13	3.66713
	1-1/8	13	4.60736
	1-1/4	13	5.65478
	1-3/8	13	6.80938
	1-1/2	13	8.07117
	1-5/8	13	9.44014
	1-3/4	13	10.91629
	1-7/8	13	12.49964
	2	13	14.26001
	2-1/8	13	16.06202
	2-1/4	13	17.97120
	2-3/8	13	19.98757
	2-1/2	13	22.11113
	2-5/8	13	24.34187
	2-3/4	13	26.67980
	2-7/8	13	29.12491
	3	13	31.67721
	3-1/4	13	37.10336
	3-1/2	13	42.95826
	3-3/4	13	49.24189
	4	13	56.62121
	4-1/4	13	63.80349
	4-1/2	13	71.41451
	4-3/4	13	79.45427
	5	13	87.92277
	5-1/2	13	107.33230
	6	13	127.37682
	6-1/2	13	149.13631
	7	13	172.61076
	7-1/2	13	197.80018
	8	13	224.70457
	9	13	283.65824
	10	13	350.85802
	11	13	423.66861
	12	13	503.33907

ID	OD	Length	Unit Net Weight
1/2	1	13	2.94608
	1-1/8	13	3.88632
	1-1/4	13	4.93373
	1-3/8	13	6.08833
	1-1/2	13	7.35012
	1-3/4	13	10.19525
	2	13	13.53897
3/4	1	13	1.94540
	1-1/8	13	2.88563
	1-1/4	13	3.93305
	1-3/8	13	5.08765
	1-1/2	13	6.34943
	1-5/8	13	7.71841
	1-3/4	13	9.19456
	2	13	12.53828
	2-1/8	13	14.34028
	2-1/4	13	16.24947
	2-1/2	13	20.38940
	2-3/4	13	24.95807
5/8	1	13	2.49934
	1-1/8	13	3.43957
	1-1/4	13	4.48698
	1-3/8	13	5.64158
	1-1/2	13	6.90337
	1-3/4	13	9.74850
	2	13	13.09222
7/8	1-1/8	13	2.22451
	1-1/4	13	3.27193
	1-3/8	13	4.42653
	1-1/2	13	5.68832
	1-3/4	13	8.53344
	1-7/8	13	10.11679
	2	13	11.87716
	2-1/4	13	15.58835
1	1-1/4	13	2.50362
	1-3/8	13	3.65822
	1-1/2	13	4.92001
	1-5/8	13	6.28898
	1-3/4	13	7.76514
	1-7/8	13	9.34848
	2	13	11.10886

ID	OD	Length	Unit Net Weight
	2-1/8	13	12.91086
	2-1/4	13	14.82005
1	2-3/8	13	16.83642
	2-1/2	13	18.95997
	2-3/4	13	23.52864
	3	13	28.52605
	3-1/4	13	33.95221
	3-1/2	13	39.80710
	4	13	53.47006
1-1/8	1-3/8	13	2.78273
	1-1/2	13	4.04452
	1-5/8	13	5.41349
	1-3/4	13	6.88965
	1-7/8	13	8.47299
	2	13	10.23337
	2-1/8	13	12.03537
	2-1/4	13	13.94456
	2-1/2	13	18.08448
	2-7/8	13	25.09827
1-1/4	1-1/2	13	3.06185
	1-3/4	13	5.90697
	1-5/8	13	4.43082
	1-7/8	13	7.49032
	2	13	9.25069
	2-1/8	13	11.05269
	2-1/4	13	12.96188
	2-1/2	13	17.10181
	2-3/4	13	21.67048
	3	13	26.66789
	3-1/4	13	32.09404
	3-1/2	13	37.94893
	4	13	51.61189
1-3/8	1-5/8	13	3.34096
	1-3/4	13	4.81711
	1-7/8	13	6.40046
	2	13	8.16083
	2-1/8	13	9.96283
	2-1/4	13	11.87125
	2-3/8	13	13.88839
	2-1/2	13	16.01195
	2-5/8	13	18.24269
	3	13	25.57803

Continuous Cast 13" Bronze Bars Alloy CDA932 (SAE 660)

ID	OD	Length	Unit Net Weight
1-1/2	1-3/4	13	3.62007
	1-7/8	13	5.20341
	2	13	6.96379
1-1/2	2-1/8	13	8.76579
	2-1/4	13	10.67497
	2-3/8	13	12.69134
	2-1/2	13	14.81490
	2-3/4	13	19.38357
	3	13	24.38098
	3-1/4	13	29.80713
	3-1/2	13	35.66203
	3-3/4	13	41.94566
	4	13	49.32498
	4-1/2	13	64.11828
1-5/8	2	13	5.65956
	2-1/8	13	7.46156
	2-1/4	13	9.37074
	2-3/8	13	11.38711
	2-1/2	13	13.51067
	2-5/8	13	15.74141
	2-3/4	13	18.07934
	3	13	23.07675
1-3/4	2	13	4.24814
	2-1/8	13	6.05014
	2-1/4	13	7.95932
	2-3/8	13	9.97570
	2-1/2	13	12.09925
	2-5/8	13	14.32999
	2-3/4	13	16.66792
	3	13	21.66533
	3-1/4	13	27.09149
	3-1/2	13	32.94638
	3-3/4	13	39.23001
	4	13	46.60933
	4-1/4	13	53.79161
1-7/8	2-1/4	13	6.44072
	2-3/8	13	8.45709
	2-5/8	13	12.81139
	2-1/2	13	10.58065
	2-3/4	13	15.14932
	3	13	20.14673
2	2-1/4	13	4.81493
	2-3/8	13	6.83131
	2-1/2	13	8.95486
	2-5/8	13	11.18560
	2-3/4	13	13.52353

ID	OD	Length	Unit Net Weight
2	2-7/8	13	15.96864
	3	13	18.52094
	3-1/4	13	23.94710
	3-1/2	13	29.80199
	3-3/4	13	36.08562
	4	13	43.46494
	4-1/2	13	58.25824
	5	13	75.84648
	5-1/2	13	94.17603
	6	13	114.22055
	2-1/8	2-5/8	13
2-3/4		13	11.79056
2-7/8		13	14.23567
3		13	16.78797
3-1/4		13	22.21412
2-1/4	3-1/2	13	28.06902
	3-3/4	13	34.35265
	2-3/4	13	9.95040
	2-7/8	13	12.39551
	3	13	14.94781
	3-1/8	13	17.60729
	3-1/4	13	20.37396
	3-1/2	13	26.22886
	3-3/4	13	32.51249
	4	13	39.89181
4-1/4	13	47.07409	
2-3/8	2-3/4	13	8.00306
	2-7/8	13	10.44817
	3	13	13.00047
	3-1/4	13	18.42662
	3-1/2	13	24.28151
2-1/2	4	13	37.94447
	2-3/4	13	5.94853
	3	13	10.94594
	3-1/8	13	13.60542
	3-1/4	13	16.37209
	3-1/2	13	22.22698
	3-3/4	13	28.51062
	4	13	35.88994
	4-1/4	13	43.07222
	4-1/2	13	50.68324
4-3/4	13	58.72300	

ID	OD	Length	Unit Net Weight
2-1/2	5	13	67.19150
	5-1/2	13	86.60103
	6	13	106.64555
2-5/8	3-1/2	13	20.06527
	3-3/4	13	26.34891
2-3/4	3-1/4	13	11.94148
	3-1/2	13	17.79637
	3-3/4	13	24.08001
	4	13	31.45933
	4-1/4	13	38.64160
	4-1/2	13	46.25262
	4-3/4	13	54.29238
2-7/8	5-3/4	13	91.97830
	4	13	29.08324
3	3-1/2	13	12.93701
	3-3/4	13	19.22065
	4	13	26.59997
	4-1/4	13	33.78225
	4-1/2	13	41.39327
	4-3/4	13	49.43303
	5	13	57.90153
	5-1/2	13	77.31106
	6	13	97.35558
3-1/4	6-1/2	13	119.11507
	7	13	142.58952
	8	13	194.68333
	3-3/4	13	13.93255
	4	13	21.31187
	4-1/4	13	28.49415
	4-1/2	13	36.10517
	4-3/4	13	44.14493
3-1/2	5	13	52.61343
	5-1/2	13	72.02296
	4	13	15.59503
	4-1/4	13	22.77731
	4-1/2	13	30.38833
	4-3/4	13	38.42809
	5	13	46.89659
	5-1/2	13	66.30612
	5-1/4	13	56.92697
	6	13	86.35064
3-3/4	6-1/2	13	108.11013
	4-1/2	13	24.24275

Continuous Cast 13" Bronze Bars Alloy CDA932 (SAE 660)

ID	OD	Length	Unit Net Weight
3-3/4	4-3/4	13	32.28251
	5	13	40.75101
	5-1/2	13	60.16054
	6	13	80.20506
4	4-1/2	13	18.65501
	4-3/4	13	26.69477
	5	13	35.16327
	5-1/4	13	45.19365
	5-1/2	13	54.57280
	6	13	74.61732
	6-1/2	13	96.37681
	7	13	119.85126
	7-1/2	13	145.04068
	8	13	171.94507
9	13	230.89874	
4-1/4	4-3/4	13	19.75430
	5	13	28.22280
	5-1/4	13	38.25318
	5-1/2	13	47.63233
	6	13	67.67685
	6-1/2	13	89.43634
4-1/2	5	13	20.85359
	5-1/2	13	40.26312
	6	13	60.30764
	6-1/2	13	82.06713
7	13	105.54159	
4-3/4	5-1/2	13	32.46250
	5-3/4	13	42.27306
	6	13	52.50969
	6-1/2	13	74.26918
	7	13	97.74364
5	5-1/2	13	24.23848
	5-3/4	13	34.04637
	6	13	44.28300
	6-1/2	13	66.04249
	7	13	89.51694
	7-1/2	13	114.70636
	8	13	141.61075
	9	13	200.56442
	10	13	267.76420
	5-1/4	7	13
5-1/2	6	13	27.73009
	6-1/2	13	49.48958
	7	13	72.96404
	7-1/2	13	98.15346
	8	13	125.05784

ID	OD	Length	Unit Net Weight
5-3/4	6-1/4	13	28.93743
	6-3/4	13	51.55440
	7-1/4	13	75.88634
	7-1/2	13	88.69542
	8	13	115.59981
	8-1/2	13	144.21916
6	6-1/2	13	30.14477
	6-3/4	13	41.66762
	7	13	53.61922
	7-1/4	13	65.99956
	7-1/2	13	78.80864
	8	13	105.71303
	8-1/2	13	134.33238
	9	13	164.66670
	10	13	231.86647
	11	13	304.67707
	12	13	384.34753
	6-1/2	7-1/4	13
7-1/2		13	57.74886
8		13	84.65325
8-1/2		13	113.27260
9		13	143.60692
9-1/2	13	176.97384	
6-3/4	7-3/4	13	59.81368
7	7-3/4	13	48.21193
	8	13	61.87850
	8-1/2	13	90.49785
	9	13	120.83217
	9-1/2	13	154.19909
	10	13	188.03194
	11	13	260.84254
	12	13	340.51300
7-1/2	8-1/2	13	66.00814
	9	13	96.34245
	9-1/2	13	129.70938
	10	13	163.54223
	10-1/2	13	199.09004
8	9	13	70.13777
	9-1/4	13	87.23139
	9-1/2	13	103.50470
	10	13	137.33755
	10-1/2	13	172.88536
	11	13	210.14814
	12	13	289.81860
	13	13	378.87050

ID	OD	Length	Unit Net Weight
8-1/2	9-1/2	13	75.58505
	10	13	109.41790
	10-1/2	13	144.96572
	11-1/2	13	221.20625
9	10	13	79.78329
	10-1/4	13	97.34283
	10-1/2	13	115.33111
	11	13	152.59389
	11-1/2	13	191.57163
12	13	232.26435	
9-1/2	10-1/2	13	85.26844
	11	13	122.53122
	11-1/2	13	161.50897
	12-1/2	13	247.03490
10	11	13	89.53527
	11-1/2	13	128.51302
	12	13	169.20573
	13	13	258.25763
	14	13	351.83990
10-1/2	11-1/2	13	93.80211
	12	13	134.49482
	12-1/2	13	179.32804
	13	13	223.54672
11	12	13	98.06894
	12-1/2	13	142.90216
	13	13	187.12084
	14	13	280.70311
11-1/2	13	13	148.98000
	13-1/2	13	194.91365
	14-1/2	13	291.92584
12	13-1/2		155.05784
	14	13	202.70645
	15	13	303.14858
12-1/2	14	13	163.50897
13	14-1/2	13	169.68285
	15	13	220.76140
13-1/2	15-1/2	13	228.65024
14	15-1/2	13	182.03061
	16	13	236.53908
15	17	13	275.00000
16	18	13	291.75000

Continuous Cast 105" Bronze Bars Alloy CDA932 (SAE 660)

ID	OD	Length	Unit Net Weight	ID	OD	Length	Unit Net Weight	ID	OD	Length	Unit Net Weight	
Solid	1/2	105	7.82453	5/8	1	105	19.99469	1-1/8	1-5/8	105	43.30793	
	3/4	105	16.86583		1-1/8	105	27.51653		1-3/4	105	55.11719	
	5/8	105	11.91643		1-1/4	105	35.89585		1-7/8	105	67.78393	
	7/8	105	22.6727		1-3/8	105	45.13266		2	105	81.86695	
	1	105	29.33706		1-1/2	105	55.22695		2-1/8	105	96.28296	
	1-1/8	105	36.8589		1-3/4	105	77.98797		2-1/4	105	111.55644	
	1-1/4	105	45.23822		2	105	104.73774		2-1/2	105	144.67587	
	1-3/8	105	54.47503		3/4	1	105		15.56321	2-7/8	105	200.78612
	1-1/2	105	64.56932			1-1/8	105	23.08505	1-1/4	1-1/2	105	24.49476
	1-5/8	105	75.52109			1-1/4	105	31.46438		1-5/8	105	35.44653
	1-3/4	105	87.33035	1-3/8		105	40.70118	1-3/4		105	47.25578	
	1-7/8	105	99.99709	1-1/2		105	50.79547	1-7/8		105	59.92252	
	2	105	114.08011	1-5/8		105	61.74725	2		105	74.00555	
	2-1/8	105	128.49612	1-3/4		105	73.5565	2-1/8		105	88.42155	
	2-1/4	105	143.7696	2		105	100.30627	2-1/4		105	103.69504	
	2-3/8	105	159.90057	2-1/8	105	114.72227	2-1/2	105		136.81446		
	2-1/2	105	176.88903	2-1/4	105	129.99576	2-3/4	105	173.36382			
	2-5/8	105	194.73496	2-1/2	105	163.11518	3	105	213.34311			
	2-3/4	105	213.43838	2-3/4	105	199.66454	3-1/4	105	256.75232			
	2-7/8	105	232.99928	7/8	1-1/8	105	17.7961	3-1/2	105	303.59147		
	3	105	253.41767		1-1/4	105	26.17542	4	105	412.89512		
	3-1/4	105	296.82689		1-3/8	105	35.41223	1-3/8	1-5/8	105	26.72764	
	3-1/2	105	343.66604		1-1/2	105	45.50652		1-3/4	105	38.5369	
	3-3/4	105	393.93512		1-5/8	105	56.45829		1-7/8	105	51.20364	
	4	105	452.96968		1-3/4	105	68.26755		2	105	65.28666	
	4-1/4	105	510.4279		1-7/8	105	80.93429		2-1/8	105	79.70267	
	4-1/2	105	571.31606		2	105	95.01731		2-1/4	105	94.97	
4-3/4	105	635.63414	2-1/4	105	124.7068	2-3/8	105		111.10712			
5	105	703.38216	1	1-1/4	105	20.02898	2-1/2		105	128.09558		
5-1/2	105	858.65839		1-3/8	105	29.26579	2-5/8	105	145.94151			
6	105	1019.01456		1-1/2	105	39.36008	3	105	204.62422			
6-1/2	105	1193.09047		1-5/8	105	50.31185	1-1/2	1-3/4	105	28.96053		
7	105	1380.8861		1-3/4	105	62.12111		1-7/8	105	41.62727		
7-1/2	105	1582.40147		1-7/8	105	74.78785		2	105	55.71029		
8	105	1797.63656		2	105	88.87087		2-1/8	105	70.1263		
9	105	2269.26592		2-1/8	105	103.28688		2-1/4	105	85.39978		
10	105	2806.86413	2-1/4	105	118.56037	2-3/8		105	101.53075			
11	105	3389.34889	2-3/8	105	134.69134	2-1/2		105	118.51921			
12	105	4026.71257	2-1/2	105	151.67979	2-3/4		105	155.06856			
1/2	1	105	23.56867	2-3/4	105	188.22914	3	105	195.04785			
	1-1/8	105	31.09052	3	105	228.20843	3-1/4	105	238.45707			
	1-1/4	105	39.46984	3-1/4	105	271.61765	3-1/2	105	285.29622			
	1-3/8	105	48.70665	3-1/2	105	318.4568	3-3/4	105	335.5653			
	1-1/2	105	58.80094	4	105	427.76044	4	105	394.59986			
	1-3/4	105	81.56196	1-1/8	1-3/8	105	22.26187	4-1/2	105	512.94623		
	2	105	108.31173		1-1/2	105	32.35616					

Continuous Cast 105" Bronze Bars Alloy CDA932 (SAE 660)

ID	OD	Length	Unit Net Weight	
1-5/8	2	105	45.27644	
	2-1/8	105	59.69244	
	2-1/4	105	74.96593	
	2-3/8	105	91.0969	
	2-1/2	105	108.08535	
	2-5/8	105	125.93129	
	2-3/4	105	144.63471	
	3	105	184.614	
1-3/4	2	105	33.9851	
	2-1/8	105	48.40111	
	2-1/4	105	63.67459	
	2-3/8	105	79.80556	
	2-1/2	105	96.79402	
	2-5/8	105	114.63995	
	2-3/4	105	133.34337	
	3	105	173.32266	
	3-1/4	105	216.73188	
	3-1/2	105	263.57103	
	3-3/4	105	313.84011	
	4	105	372.87467	
	4-1/4	105	430.33289	
1-7/8	2-1/4	105	51.52578	
	2-3/8	105	67.65675	
	2-1/2	105	84.6452	
	2-3/4	105	121.19455	
	2-5/8	105	102.49113	
	3	105	161.17384	
	2	2-1/4	105	38.51947
2-3/8		105	54.65044	
2-1/2		105	71.6389	
2-5/8		105	89.48483	
2-3/4		105	108.18825	
2-7/8		105	127.74915	
3		105	148.16754	
3-1/4		105	191.57676	
3-1/2		105	238.41591	
3-3/4		105	288.68499	
4		105	347.71955	
4-1/2		105	466.06592	
5		105	606.7718	
5-1/2		105	753.40825	
6		105	913.76443	
2-1/8		2-3/4	105	94.32447
		2-5/8	105	75.62105
	2-7/8	105	113.88537	
	3	105	134.30375	

ID	OD	Length	Unit Net Weight	
2-1/8	3-1/4	105	177.71297	
	3-1/2	105	224.55212	
	3-3/4	105	274.82121	
2-1/4	2-3/4	105	79.6032	
	2-7/8	105	99.1641	
	3	105	119.58249	
	3-1/8	105	140.85835	
	3-1/4	105	162.9917	
	3-1/2	105	209.83085	
	3-3/4	105	260.09994	
2-3/8	2-3/4	105	64.02445	
	2-7/8	105	83.58535	
	3	105	104.00373	
	3-1/4	105	147.41295	
	3-1/2	105	194.2521	
	4	105	303.55575	
	2-1/2	2-3/4	105	47.58821
3		105	87.5675	
3-1/8		105	108.84337	
3-1/4		105	130.97672	
3-1/2		105	177.81587	
3-3/4		105	228.08495	
4		105	287.11951	
4-1/4		105	344.57773	
4-1/2		105	405.46589	
4-3/4		105	469.78397	
5		105	537.53199	
2-5/8	3-1/2	105	160.52215	
	3-3/4	105	210.79124	
	2-3/4	3-1/4	105	95.5318
		3-1/2	105	142.37095
3-3/4		105	192.64004	
4		105	251.6746	
4-1/4		105	309.13282	
4-1/2		105	370.02097	
4-3/4		105	434.33905	
5-3/4	105	735.82642		
2-7/8	4	105	232.66592	
3	3-1/2	105	103.4961	
	3-3/4	105	153.76519	
	4	105	212.79975	
	4-1/4	105	270.25797	

ID	OD	Length	Unit Net Weight
3	4-1/2	105	331.14612
	4-3/4	105	395.46421
	5	105	463.21222
	5-1/2	105	618.48845
	6	105	778.84463
	6-1/2	105	952.92054
	7	105	1140.71617
	8	105	1557.46662
3-1/4	3-3/4	105	111.46041
	4	105	170.49497
	4-1/4	105	227.95319
	4-1/2	105	288.84134
	4-3/4	105	353.15942
	5	105	420.90744
	5-1/2	105	576.18367
3-1/2	4	105	124.76026
	4-1/4	105	182.21848
	4-1/2	105	243.10663
	4-3/4	105	307.42471
	5	105	375.17273
	5-1/4	105	455.41577
	5-1/2	105	530.44896
3-3/4	4-1/2	105	193.94198
	4-3/4	105	258.26007
	5	105	326.00808
	5-1/2	105	481.28431
	6	105	641.64049
	4	4-1/2	105
4-3/4		105	213.55813
5		105	281.30614
5-1/4		105	361.54918
5-1/2		105	436.58237
6		105	596.93855
6-1/2		105	771.01446
7		105	958.81009
7-1/2		105	1160.32546
8		105	1375.56055
9		105	1847.18991
4-1/4	4-3/4	105	158.03439
	5	105	225.78241
	5-1/4	105	306.02544
	5-1/2	105	381.05864
	6	105	541.41481
	6-1/2	105	715.49072

Continuous Cast 105" Bronze Bars Alloy CDA932 (SAE 660)

ID	OD	Length	Unit Net Weight
4-1/2	5	105	166.82873
	5-1/2	105	322.10496
	6	105	482.46114
	6-1/2	105	656.53705
	7	105	844.33268
4-3/4	5-1/2	105	259.7
	5-3/4	105	338.18449
	6	105	420.07754
	6-1/2	105	594.15345
	7	105	781.94908
5	5-1/2	105	193.90783
	5-3/4	105	272.37095
	6	105	354.26401
	6-1/2	105	528.33991
	7	105	716.13555
	7-1/2	105	917.65091
	8	105	1132.886
	9	105	1604.51536
	10	105	2142.11357
5-1/4	7	105	655.94666
5-1/2	6	105	221.84075
	6-1/2	105	395.91666
	7	105	583.7123
	7-1/2	105	785.22766
	8	105	1000.46275
5-3/4	6-1/4	105	231.49944
	6-3/4	105	412.43521
	7-1/4	105	607.09071
	7-1/2	105	709.56336
	8	105	924.79845
	8-1/2	105	1153.75327
6	6-1/2	105	241.15813
	6-3/4	105	333.34098
	7	105	428.95377
	7-1/4	105	527.99648
	7-1/2	105	630.46913
	8	105	845.70422
	8-1/2	105	1074.65904
	9	105	1317.33358
	10	105	1854.93179
	11	105	2437.41655
	12	105	3074.78023
	6-1/2	7-1/4	105
7-1/2		105	461.99087
8		105	677.22596
8-1/2		105	906.18078

ID	OD	Length	Unit Net Weight	
6-1/2	9	105	1148.85532	
	9-1/2	105	1415.79074	
6-3/4	7-3/4	105	478.50942	
7	7-3/4	105	385.69546	
	8	105	495.02798	
	8-1/2	105	723.98279	
	9	105	966.65734	
	9-1/2	105	1233.59275	
	10	105	1504.25554	
	11	105	2086.74031	
	12	105	2724.10398	
7-1/2	8-1/2	105	528.06508	
	9	105	770.73963	
	9-1/2	105	1037.67504	
	10	105	1308.33783	
	10-1/2	105	1592.72035	
	8	9	105	561.10218
9-1/2		105	828.0376	
9-1/4		105	697.8511	
10		105	1098.70039	
10-1/2		105	1383.08291	
11		105	1681.18515	
12		105	2318.54883	
13		105	3030.96403	
8-1/2		9-1/2	105	604.68043
		10	105	875.34322
	10-1/2	105	1159.72574	
	11-1/2	105	1769.64996	
9	10	105	638.26632	
	10-1/4	105	778.74262	
	10-1/2	105	922.64884	
	11	105	1220.75109	
	11-1/2	105	1532.57306	
	12	105	1858.11476	
9-1/2	10-1/2	105	682.1475	
	11	105	980.24975	
	11-1/2	105	1292.07172	
	12-1/2	105	1976.27916	
	10	11	105	716.28218
11-1/2		105	1028.10416	
12		105	1353.64586	
13		105	2066.06106	
14		105	2814.71916	
10-1/2		11-1/2	105	750.41687
		12	105	1075.95857
	12-1/2	105	1434.6243	

ID	OD	Length	Unit Net Weight
10-1/2	13	105	1788.37376
11	12	105	784.55155
	12-1/2	105	1143.21728
	13	105	1496.96675
11-1/2	14	105	2245.62485
	13	105	1191.84
	13-1/2	105	1559.30919
12	14-1/2	105	2335.40675
	13-1/2	105	1240.46271
	14	105	1621.65163
12-1/2	15	105	2425.18865
	14	105	1308.07178
	13	105	1357.4628
13	15	105	1766.09117
	14-1/2	105	1829.20192
	15-1/2	105	1456.24484
13-1/2	16	105	1892.31267
	15-1/2	105	1456.24484
	16	105	1892.31267
15	17	105	2200
16	18	105	2334

CDA 932 (SAE 660)
Available Bar Lengths:
13"
26.25"
39.375"
52.50"
65.625"
78.75"
91.875"
105"



RANDALL
INNOVATION IN MOTION

Randall Bearings, Inc

P.O. Box 1258
Lima, Ohio 45802

Phone: (419) 223-1075
Fax: (419) 228-0200

www.RandallBearings.com