



RANDALL
INNOVATION IN MOTION



Randall Bearings, Inc

P.O. Box 1258
Lima, Ohio 45802

Phone: (419) 223-1075
Fax: (419) 228-0200





RANDALL

Table of Contents

CDA932 Cast Bronze Standard Bushings.....	3
CDA932 Cast Bronze Standard Bushings Metric.....	10
Oil Grooving - Machining / Graphiting - Special Machining.....	11

Pillow Block and Cast Bronze Solid & Cored Bar Catalogs may be downloaded off our website at www.randallbearings.com

Randall Cast Bronze Standard Bushings

ID	OD	Length	Unit Net Weight	Description	ID	OD	Length	Unit Net Weight	Description	ID	OD	Length	Unit Net Weight	Description		
1/8	1/4	1/8	0.001	RB 0204-01	5/16	1/2	1	0.039	RB 0508-08	1/2	5/8	1-1/4	0.044	RB 0810-10		
		1/4	0.003	RB 0204-02			1-3/8	0.049	RB 0810-11							
		3/8	0.004	RB 0204-03		1-1/2	0.053	RB 0810-12								
3/16	1/4	1/4	0.001	RB 0304-02	3/8	1/2	1/4	0.007	RB 0608-02	1/2	11/16	1-3/4	0.062	RB 0810-14		
		3/8	0.002	RB 0304-03			3/8	0.010	RB 0608-03			2	0.071	RB 0810-16		
		1/2	0.003	RB 0304-04			1/2	0.014	RB 0608-04			2-1/4	0.080	RB 0810-18		
		5/8	0.004	RB 0304-05			5/8	0.017	RB 0608-05			3	0.108	RB 0810-24		
3/16	5/16	1/4	0.004	RB 0305-02	3/8	1/2	3/4	0.021	RB 0608-06	1/2	11/16	7/8	0.024	RB 0608-07		
		3/8	0.006	RB 0305-03			7/8	0.024	RB 0608-07			1	0.030	RB 0608-08		
		1/2	0.008	RB 0305-04			1	0.030	RB 0608-08			1-1/4	0.034	RB 0608-10		
		3/4	0.019	RB 0305-06			1-1/4	0.034	RB 0608-10			1-1/2	0.041	RB 0608-12		
1/4	5/16	1/4	0.002	RB 0405-02	3/8	9/16	3/8	0.016	RB 0609-03	1/2	11/16	1	0.056	RB 0811-08		
		1/2	0.004	RB 0405-04			1/2	0.022	RB 0609-04			1-1/8	0.064	RB 0811-09		
		3/4	0.006	RB 0405-06			3/4	0.033	RB 0609-06			1-1/4	0.070	RB 0811-10		
		1	0.016	RB 0305-08			1	0.044	RB 0609-08			1-1/2	0.084	RB 0811-12		
1/4	3/8	1/4	0.010	RB 0406-02	3/8	5/8	1-1/4	0.056	RB 0609-10	1/2	3/4	1-3/4	0.098	RB 0811-14		
		3/8	0.007	RB 0406-03			1	0.063	RB 0610-08			2	0.112	RB 0811-16		
		1/2	0.010	RB 0406-04			1-1/4	0.079	RB 0610-10			2-1/4	0.126	RB 0811-18		
		5/8	0.012	RB 0406-05			1-1/2	0.094	RB 0610-12			2-1/2	0.140	RB 0811-20		
		3/4	0.015	RB 0406-06			7/16	9/16	1/2			0.016	RB 0709-04	3	0.170	RB 0811-24
		7/8	0.017	RB 0406-07			5/8		0.020			RB 0709-05	1	0.079	RB 0812-08	
		1	0.020	RB 0406-08			1		0.031			RB 0709-08	1-1/8	0.089	RB 0812-09	
		1-1/4	0.025	RB 0406-10			1-1/4		0.039			RB 0709-10	1-1/4	0.100	RB 0812-10	
1/4	7/16	3/4	0.024	RB 0407-06	1/4	1/2	1-1/2	0.047	RB 0709-12	1/2	3/4	1-1/2	0.118	RB 0812-12		
		1	0.032	RB 0407-08			1-3/4	0.055	RB 0709-14			1-3/4	0.137	RB 0812-14		
		1-1/4	0.040	RB 0407-10			2	0.063	RB 0709-16			2	0.157	RB 0812-16		
		1/4	0.023	RB 0408-04			7/16	5/8	1/2			0.025	RB 0710-04	2-1/4	0.177	RB 0812-18
1/4	1/2	5/8	0.029	RB 0408-05	1/4	5/8	3/4	0.038	RB 0710-06	1/2	3/4	2-1/2	0.197	RB 0812-20		
		3/4	0.035	RB 0408-06			1	0.050	RB 0710-08			2-3/4	0.216	RB 0812-22		
		1	0.047	RB 0408-08			1-1/4	0.063	RB 0710-10			3	0.238	RB 0812-24		
		1/4	0.042	RB 0410-04			1-1/2	0.075	RB 0710-12			1/2	13/16	1	0.104	RB 0813-08
3/4	0.062	RB 0410-06	2	0.100	RB 0710-16	1-1/2	0.155	RB 0813-12								
5/16	3/8	1/4	0.002	RB 0506-02	7/16	11/16	1-1/2	0.106	RB 0711-12	2-1/4	0.232			RB 0813-18		
3/8		0.004	RB 0506-03	7/16	3/4	1	0.094	RB 0712-08	1/2	7/8	1			0.129	RB 0814-08	
1/2		0.005	RB 0506-04	1-1/4	0.117	RB 0712-10	1-1/4	0.162			RB 0814-10					
5/8		0.007	RB 0506-05	1-1/2	0.140	RB 0712-12	1-1/2	0.194			RB 0814-12					
3/4	0.008	RB 0506-06	7/16	13/16	1-1/2	0.177	RB 0713-12	1-3/4			0.227	RB 0814-14				
1	0.011	RB 0506-08	5/16	7/16	1/4	0.006	RB 0507-02	1/2	1	2	0.259	RB 0814-16				
3/8	0.009	RB 0507-03			1/2	0.012	RB 0507-04			1/2	1	1	0.189	RB 0816-08		
1/2	0.012	RB 0507-04			5/8	0.015	RB 0507-05					1-1/2	0.284	RB 0816-12		
5/8	0.015	RB 0507-05			3/4	0.018	RB 0507-06					2	0.377	RB 0816-16		
3/4	0.018	RB 0507-06	1	0.024	RB 0507-08	2-1/4	0.426	RB 0816-18								
5/16	1/2	1-1/4	0.030	RB 0507-10	5/16	1/2	9/16	0.044	RB 0810-45	9/16	11/16	3	0.569	RB 0816-24		
		1	0.024	RB 0507-08			5/8	0.022	RB 0810-05			9/16	11/16	1	0.040	RB 0911-08
		3/4	0.027	RB 0810-06			3/4	0.027	RB 0810-06					1-1/4	0.050	RB 0911-10
		1-1/4	0.030	RB 0507-10			7/8	0.031	RB 0810-07					1-1/2	0.060	RB 0911-12
5/16	1/2	3/8	0.014	RB 0508-03	1	0.036	RB 0810-08	1-3/4	0.069	RB 0911-14						
5/16	1/2	1/2	0.019	RB 0508-04	5/16	1/2	1-1/8	0.040	RB 0810-09	9/16	11/16	1	0.040	RB 0911-08		
		3/4	0.030	RB 0508-06			1	0.036	RB 0810-08			1-1/4	0.050	RB 0911-10		
		3/4	0.030	RB 0508-06			1-1/8	0.040	RB 0810-09			1-1/2	0.060	RB 0911-12		

Randall Cast Bronze Standard Bushings

ID	OD	Length	Unit Net Weight	Description	ID	OD	Length	Unit Net Weight	Description	ID	OD	Length	Unit Net Weight	Description		
9/16	11/16	2	0.079	RB 0911-16	5/8	7/8	5/8	0.059	RB 1014-05	3/4	7/8	1/2	0.026	RB 1214-04		
		2-1/4	0.088	RB 0911-18			3/4	0.071	RB 1014-06			5/8	0.032	RB 1214-05		
		2-1/2	0.098	RB 0911-20			1	0.095	RB 1014-08			3/4	0.039	RB 1214-06		
9/16	3/4	1/2	0.031	RB 0912-04			1-1/8	0.107	RB 1014-09			1	0.052	RB 1214-08		
		3/4	0.046	RB 0912-06			1-1/4	0.118	RB 1014-10			1-1/4	0.065	RB 1214-10		
		1	0.060	RB 0912-08			1-3/8	0.130	RB 1014-11			1-1/2	0.078	RB 1214-12		
		1-1/4	0.078	RB 0912-10			1-1/2	0.141	RB 1014-12			1-3/4	0.091	RB 1214-14		
		1-3/8	0.043	RB 0912-11			1-3/4	0.165	RB 1014-14			2	0.104	RB 1214-16		
		1-1/2	0.094	RB 0912-12			2	0.190	RB 1014-16			2-1/4	0.115	RB 1214-18		
		1-3/4	0.108	RB 0912-14			2-1/4	0.212	RB 1014-18			2-1/2	0.130	RB 1214-20		
		2	0.125	RB 0912-16			2-1/2	0.236	RB 1014-20			3	0.156	RB 1214-24		
		2-1/4	0.140	RB 0912-18			3	0.290	RB 1014-24			3/4	15/16	1	0.080	RB 1215-08
		2-1/2	0.155	RB 0912-20	5/8	15/16	1	0.123	RB 1015-08	1-1/4	0.100			RB 1215-10		
3	0.187	RB 0912-24	1-1/2	0.184			RB 1015-12	1-3/8	0.109	RB 1215-11						
9/16	13/16	1	0.086	RB 0913-08			2	0.247	RB 1015-16	1-1/2	0.121			RB 1215-12		
		1-1/4	0.108	RB 0913-10	2-1/2	0.309	RB 1015-20	1-3/4	0.140	RB 1215-14						
		1-1/2	0.130	RB 0913-12	5/8	1	3/4	0.115	RB 1016-06	2	0.159			RB 1215-16		
		1-3/4	0.151	RB 0913-14			1	0.154	RB 1016-08	2-1/4	0.179			RB 1215-18		
		2	0.173	RB 0913-16			1-1/2	0.231	RB 1016-12	2-1/2	0.199			RB 1215-20		
		2-1/2	0.216	RB 0913-20			2	0.340	RB 1016-16	2-3/4	0.219			RB 1215-22		
		9/16	7/8	1			0.113	RB 0914-08	2-1/4	0.345	RB 1016-18			3	0.239	RB 1215-24
1-1/2	0.171			RB 0914-12			2-1/2	0.383	RB 1016-20	3/4	1	3/8	0.041	RB 1216-03		
2	0.226			RB 0914-16			3	0.463	RB 1016-24			1/2	0.055	RB 1216-04		
5/8	3/4	1/2	0.022	RB 1012-04	5/8	1-1/8	1-1/2	0.331	RB 1018-12			5/8	0.069	RB 1216-05		
		5/8	0.030	RB 1012-05			2	0.442	RB 1018-16			3/4	0.082	RB 1216-06		
		3/4	0.032	RB 1012-06			2-1/4	0.495	RB 1018-18			7/8	0.097	RB 1216-07		
		7/8	0.038	RB 1012-07	11/16	13/16	1	0.048	RB 1113-08			1	0.110	RB 1216-08		
		1	0.044	RB 1012-08			1-1/4	0.059	RB 1113-10			1-1/8	0.125	RB 1216-09		
		1-1/8	0.049	RB 1012-09			1-1/2	0.072	RB 1113-12			1-1/4	0.140	RB 1216-10		
		1-1/4	0.055	RB 1012-10			1-3/4	0.083	RB 1113-14			1-3/8	0.152	RB 1216-11		
		1-1/2	0.065	RB 1012-12			2	0.094	RB 1113-16			1-1/2	0.165	RB 1216-12		
		1-3/4	0.077	RB 1012-14			2-1/2	0.118	RB 1113-20	1-3/4	0.193	RB 1216-14				
		2	0.087	RB 1012-16			11/16	7/8	1	0.074	RB 1114-08	1-7/8	0.206	RB 1216-15		
		2-1/4	0.099	RB 1012-18	1-1/4	0.092			RB 1114-10	2	0.220	RB 1216-16				
		2-1/2	0.110	RB 1012-20	1-1/2	0.111			RB 1114-12	2-1/8	0.240	RB 1216-17				
		3	0.170	RB 1012-24	1-3/4	0.129			RB 1114-14	2-1/4	0.250	RB 1216-18				
		5/8	13/16	1/2	0.034	RB 1013-04			2	0.153	RB 1114-16	2-1/2	0.277	RB 1216-20		
				3/4	0.051	RB 1013-06			2-1/4	0.166	RB 1114-18	2-3/4	0.302	RB 1216-22		
1	0.068			RB 1013-08	2-1/2	0.186			RB 1114-20	3	0.333	RB 1216-24				
1-1/4	0.085			RB 1013-10	11/16	15/16	1	0.103	RB 1115-08	3-1/2	0.389	RB 1216-28				
1-1/2	0.102			RB 1013-12			1-1/4	0.128	RB 1115-10	3/4	1-1/16	1	0.140	RB 1217-08		
1-3/4	0.119			RB 1013-14			1-1/2	0.153	RB 1115-12			1-1/2	0.214	RB 1217-12		
2	0.137			RB 1013-16			1-3/4	0.179	RB 1115-14			2	0.285	RB 1217-16		
2-1/4	0.153			RB 1013-18			2	0.205	RB 1115-16			2-1/4	0.320	RB 1217-18		
2-1/2	0.169			RB 1013-20			2-1/2	0.258	RB 1115-20			2-1/2	0.356	RB 1217-20		
3	0.206			RB 1013-24			11/16	1	1-1/4			0.167	RB 1116-10	3	0.430	RB 1217-24
5/8	7/8	1/2	0.047	RB 1014-04	2-1/4	0.298			RB 1116-18			3/4	1-1/8	1	0.177	RB 1218-08
		2-1/4	0.140	RB 0912-18	2-1/2	0.331			RB 1116-20					1-1/2	0.267	RB 1218-12

Randall Cast Bronze Standard Bushings

ID	OD	Length	Unit Net Weight	Description	ID	OD	Length	Unit Net Weight	Description	ID	OD	Length	Unit Net Weight	Description		
3/4	1-1/8	2	0.354	RB 1218-16	7/8	1-1/8	1-3/8	0.174	RB 1418-11	1	1-1/8	1-1/2	0.101	RB 1618-12		
		2-1/4	0.398	RB 1218-18			1-1/2	0.189	RB 1418-12			1-3/4	0.117	RB 1618-14		
		2-1/2	0.442	RB 1218-20			1-3/4	0.222	RB 1418-14			2	0.134	RB 1618-16		
		3	0.534	RB 1218-24			2	0.253	RB 1418-16			2-1/2	0.170	RB 1618-20		
3/4	1-3/16	1-1/2	0.320	RB 1219-12	7/8	1-3/16	2-1/4	0.283	RB 1418-18	1	1-3/16	7/8	0.090	RB 1619-07		
		2	0.425	RB 1219-16			2-1/2	0.317	RB 1418-20			1	0.103	RB 1619-08		
		2-1/2	0.533	RB 1219-20			3	0.378	RB 1418-24			1-1/4	0.130	RB 1619-10		
3/4	1-1/4	1	0.252	RB 1220-08	7/8	1-3/16	3-1/4	0.409	RB 1418-26	1	1-1/4	1-1/2	0.156	RB 1619-12		
		1-3/4	0.440	RB 1220-14			3-1/2	0.450	RB 1418-28			1-3/4	0.181	RB 1619-14		
		2	0.510	RB 1220-16			1-1/4	0.163	RB 1419-08			2	0.209	RB 1619-16		
		2-1/4	0.568	RB 1220-18			1-1/2	0.204	RB 1419-10			2-1/2	0.261	RB 1619-20		
		2-1/2	0.628	RB 1220-20			2	0.243	RB 1419-12			1	1-1/4	1/2	0.071	RB 1620-04
		3	0.754	RB 1220-24			2-1/2	0.324	RB 1419-16					3/4	0.107	RB 1620-06
13/16	15/16	1	0.055	RB 1315-08	2-1/2	0.405	RB 1419-20	1	0.142	RB 1620-08						
		1-1/2	0.090	RB 1315-12	3	0.486	RB 1419-24	1-1/8	0.160	RB 1620-09						
		2	0.112	RB 1315-16	7/8	1-1/4	1-1/2	0.300	RB 1420-12	1-1/4	0.180			RB 1620-10		
13/16	1	1-1/2	0.130	RB 1316-12			1-3/4	0.350	RB 1420-14	1-3/8	0.194			RB 1620-11		
		1-3/4	0.150	RB 1316-14			2	0.401	RB 1420-16	1-1/2	0.214	RB 1620-12				
		2	0.173	RB 1316-16			2-1/4	0.453	RB 1420-18	1-5/8	0.232	RB 1620-13				
		2-1/2	0.214	RB 1316-20			2-1/2	0.501	RB 1420-20	1-3/4	0.249	RB 1620-14				
13/16	1-1/16	1-1/2	0.177	RB 1317-12			3-1/2	0.701	RB 1420-28	1-7/8	0.265	RB 1620-15				
		2	0.238	RB 1317-16	4	0.801	RB 1420-32	2	0.285	RB 1620-16						
		2-1/2	0.294	RB 1317-20	7/8	1-3/8	1-1/2	0.424	RB 1422-12	2-1/4	0.321	RB 1620-18				
		2-3/4	0.324	RB 1317-22			1-3/4	0.495	RB 1422-14	2-1/2	0.357	RB 1620-20				
3	0.353	RB 1317-24	2	0.566			RB 1422-16	2-3/4	0.389	RB 1620-22						
13/16	1-1/8	1-1/2	0.230	RB 1318-12			2-1/2	0.707	RB 1422-20	2-7/8	0.410	RB 1620-23				
		2	0.305	RB 1318-16			3	0.848	RB 1422-24	3	0.428	RB 1620-24				
		13/16	1-3/16	2-1/2			0.471	RB 1319-20	15/16	1-1/8	1-1/2	0.146	RB 1518-12	3-1/2	0.495	RB 1620-28
3	0.565			RB 1319-24	2	0.195	RB 1518-16	3-3/4			0.530	RB 1620-30				
7/8	1			1	0.060	RB 1416-08	2-1/2	0.244			RB 1518-20	4	0.571	RB 1620-32		
				1-1/4	0.075	RB 1416-10	15/16	1-3/16			1-1/4	0.168	RB 1519-10	4-1/2	0.642	RB 1620-36
		1-3/8	0.081	RB 1416-11	1-1/2	0.200			RB 1519-12	1	1-5/16	1-1/2	0.272	RB 1621-12		
1-1/2	0.090	RB 1416-12	2	0.267	RB 1519-16	2			0.363			RB 1621-16				
1-5/8	0.096	RB 1416-13	2-1/4	0.300	RB 1519-18	2-1/4			0.409			RB 1621-18				
2	0.118	RB 1416-16	3	0.401	RB 1519-24	2-1/2	0.458	RB 1621-20								
7/8	1-1/16	3	0.180	RB 1416-24	15/16	1-1/4	1	0.172	RB 1520-08	3	0.545	RB 1621-24				
		1	0.091	RB 1417-08			1-1/2	0.258	RB 1520-12	3-1/2	0.636	RB 1621-28				
		1-1/4	0.114	RB 1417-10			2	0.344	RB 1520-16	3-3/4	0.681	RB 1621-30				
		1-1/2	0.138	RB 1417-12			2-1/2	0.430	RB 1520-20	1	1-3/8	1	0.225	RB 1622-08		
		1-3/4	0.160	RB 1417-14			2-3/4	0.476	RB 1520-22			1-1/4	0.280	RB 1622-10		
		2	0.183	RB 1417-16			15/16	1-5/16	1-1/2			0.318	RB 1521-12	1-1/2	0.336	RB 1622-12
		2-1/4	0.206	RB 1417-18					2			0.424	RB 1521-16	1-3/4	0.394	RB 1622-14
2-1/2	0.229	RB 1417-20	3	0.641	RB 1521-24	2			0.448	RB 1622-16						
7/8	1-1/8	3/4	0.095	RB 1418-06	1	1-1/8	1/2	0.034	RB 1618-04	2-1/2	0.563	RB 1622-20				
		1	0.130	RB 1418-08			1	0.070	RB 1618-08	2-3/4	0.616	RB 1622-22				
		1-1/4	0.157	RB 1418-10			1-3/8	0.092	RB 1618-11	3	0.676	RB 1622-24				

Randall Cast Bronze Standard Bushings

ID	OD	Length	Unit Net Weight	Description
7/8	1-1/8	3-1/4	0.783	RB 1622-26
		3-1/2	0.783	RB 1622-28
		4	0.910	RB 1622-32
		4-1/2	1.012	RB 1622-36
1	1-1/2	1-1/2	0.471	RB 1624-12
		1-3/4	0.550	RB 1624-14
		2	0.628	RB 1624-16
		2-1/2	0.785	RB 1624-20
		3	0.947	RB 1624-24
		4	1.260	RB 1624-32
1	1-5/8	2	0.828	RB 1626-16
		2-1/2	1.030	RB 1626-20
		3	1.260	RB 1626-24
		3-1/2	1.440	RB 1626-28
1	1-3/4	6-1/2	3.382	RB 1628-52
1	2	3	2.300	RB 1632-24
		6-1/2	4.916	RB 1632-52
1-1/16	1-15/16	1-1/2	0.224	RB 1721-12
		2	0.298	RB 1721-16
		2-1/2	0.373	RB 1721-20
		3	0.448	RB 1721-24
1-1/16	1-3/8	1	0.192	RB 1722-08
		2	0.383	RB 1722-16
		2-1/2	0.479	RB 1722-20
1-1/16	1-7/16	2-1/2	0.600	RB 1723-20
		3	0.707	RB 1723-24
		4	0.943	RB 1723-32
1-1/8	1-1/4	1-1/2	0.112	RB 1820-12
		1-3/4	0.133	RB 1820-14
		2	0.152	RB 1820-16
1-1/8	1-5/16	2-1/4	0.257	RB 1821-18
		2-1/2	0.289	RB 1821-20
1-1/8	1-3/8	1	0.158	RB 1822-08
		1-1/4	0.198	RB 1822-10
		1-1/2	0.238	RB 1822-12
		1-3/4	0.277	RB 1822-14
		2	0.317	RB 1822-16
		2-1/4	0.353	RB 1822-18
		2-1/2	0.396	RB 1822-20
		3	0.476	RB 1822-24
		3-1/4	0.510	RB 1822-26
1-1/8	1-7/16	1-1/2	0.310	RB 1823-12
		2-1/2	0.503	RB 1823-20

ID	OD	Length	Unit Net Weight	Description		
1-1/8	1-7/16	3	0.603	RB 1823-24		
		3-1/2	0.704	RB 1823-28		
1-1/8	1-1/2	1-1/2	0.373	RB 1824-12		
		2	0.494	RB 1824-16		
		2-1/2	0.623	RB 1824-20		
		3	0.741	RB 1824-24		
		3-1/2	0.865	RB 1824-28		
		4	0.996	RB 1824-32		
1-1/8	1-5/8	1-3/4	0.604	RB 1826-14		
		2	0.691	RB 1826-16		
		2-1/2	0.868	RB 1826-20		
		3	1.040	RB 1826-24		
		3-1/2	1.210	RB 1826-28		
		4	1.390	RB 1826-32		
1-1/8	1-7/8	4-1/2	1.550	RB 1826-36		
		6-1/2	3.720	RB 1830-52		
		1-1/8	2	3	2.100	RB 1832-24
1-1/8	2	5-1/2	3.840	RB 1832-44		
		1-3/16	1-3/8	1-3/4	0.220	RB 1922-14
		2	0.242	RB 1922-16		
1-3/16	1-7/16	2-1/2	0.302	RB 1922-20		
		1-1/4	0.207	RB 1923-10		
		1-1/2	0.300	RB 1923-12		
1-3/16	1-1/2	2	0.330	RB 1923-16		
		2-1/2	0.412	RB 1923-20		
		3	0.495	RB 1923-24		
		3-1/2	0.577	RB 1923-28		
		1	0.212	RB 1924-08		
		1-1/2	0.319	RB 1924-12		
1-3/16	1-9/16	2	0.426	RB 1924-16		
		2-1/2	0.531	RB 1924-20		
		3	0.639	RB 1924-24		
		4	0.844	RB 1924-32		
		2-1/2	0.652	RB 1925-20		
		3	0.778	RB 1925-24		
1-3/16	1-5/8	3-1/2	0.913	RB 1925-28		
		2	0.618	RB 1926-16		
		2-1/2	0.773	RB 1926-20		
1-3/16	1-11/16	3	0.950	RB 1926-24		
		2	0.723	RB 1927-16		
		2-1/2	0.904	RB 1927-20		
1-1/4	1-7/16	3	1.080	RB 1927-24		
		3-1/2	1.290	RB 1927-28		
		2	0.257	RB 2023-16		
1-1/4	1-7/16	2-1/2	0.320	RB 2023-20		

ID	OD	Length	Unit Net Weight	Description
1-1/4	1-7/16	3	0.385	RB 2023-24
1-1/4	1-1/2	3/4	0.131	RB 2024-06
		1	0.173	RB 2024-08
		1-1/8	0.194	RB 2024-09
		1-1/4	0.216	RB 2024-10
		1-3/8	0.238	RB 2024-11
		1-1/2	0.259	RB 2024-12
		1-5/8	0.290	RB 2024-13
		1-3/4	0.305	RB 2024-14
		2	0.349	RB 2024-16
		2-1/4	0.389	RB 2024-18
		2-1/2	0.435	RB 2024-20
		2-3/4	0.475	RB 2024-22
1-1/4	1-9/16	3	0.518	RB 2024-24
		3-1/4	0.561	RB 2024-26
		3-1/2	0.611	RB 2024-28
		4	0.698	RB 2024-32
		4-1/4	0.735	RB 2024-34
		4-1/2	0.777	RB 2024-36
		5	0.873	RB 2024-40
		5-1/2	0.950	RB 2024-44
1-1/4	1-5/8	2	0.445	RB 2025-16
		2-1/2	0.552	RB 2025-20
		3	0.663	RB 2025-24
		3-1/2	0.773	RB 2025-28
		3-3/4	0.828	RB 2025-30
1-1/4	1-11/16	1-3/4	0.477	RB 2026-14
		2	0.542	RB 2026-16
		2-1/2	0.682	RB 2026-20
		3	0.813	RB 2026-24
		3-1/4	0.881	RB 2026-26
		3-1/2	0.960	RB 2026-28
		4	1.091	RB 2026-32
		4-1/2	1.220	RB 2026-36
1-1/4	1-11/16	4-3/4	1.290	RB 2026-38
		2	0.646	RB 2027-16
		2-1/2	0.812	RB 2027-20
1-1/4	1-11/16	3-1/4	1.050	RB 2027-26
		3-1/2	1.130	RB 2027-28

Randall Cast Bronze Standard Bushings

ID	OD	Length	Unit Net Weight	Description
1-1/4	1-3/4	1-1/4	0.471	RB 2028-10
		1-3/4	0.660	RB 2028-14
		2	0.754	RB 2028-16
		2-1/4	0.853	RB 2028-18
		2-1/2	0.947	RB 2028-20
		2-3/4	1.042	RB 2028-22
		3	1.137	RB 2028-24
		3-1/2	1.326	RB 2028-28
		3-3/4	1.410	RB 2028-30
		4	1.540	RB 2028-32
5	1.920	RB 2028-40		
1-1/4	1-7/8	2	0.986	RB 2030-16
		2-1/2	1.232	RB 2030-20
		3	1.479	RB 2030-24
		4	1.972	RB 2030-32
1-1/4	2	3	1.860	RB 2032-24
		4	2.460	RB 2032-32
		6-1/2	4.040	RB 2032-52
1-5/16	1-1/2	1-3/4	0.232	RB 2124-14
		3	0.403	RB 2124-24
1-5/16	1-9/16	3	0.548	RB 2125-24
		3-1/2	0.632	RB 2125-28
		4	0.723	RB 2125-32
1-5/16	1-5/8	2	0.461	RB 2126-16
		2-1/2	0.582	RB 2126-20
		3	0.692	RB 2126-24
		4	0.931	RB 2126-32
4-3/4	1.106	RB 2126-38		
1-5/16	1-11/16	2-1/2	0.707	RB 2127-20
		3	0.848	RB 2127-24
		4	1.130	RB 2127-32
1-5/16	1-13/16	3	1.180	RB 2129-24
		4	1.600	RB 2129-32
1-5/16	1-7/8	3-1/2	1.580	RB 2130-28
		4-1/2	2.030	RB 2130-36
1-3/8	1-1/2	1-3/4	0.161	RB 2224-14
		2	0.181	RB 2224-16
		2-1/2	0.230	RB 2224-20
1-3/8	1-5/8	1-1/4	0.238	RB 2226-10
		1-1/2	0.285	RB 2226-12
		2	0.390	RB 2226-16
		3	0.580	RB 2226-24
		3-1/4	0.619	RB 2226-26
		3-1/2	0.667	RB 2226-28
		4	0.762	RB 2226-32
		4-1/2	0.857	RB 2226-36

ID	OD	Length	Unit Net Weight	Description		
1-3/8	1-11/16	3-1/2	0.849	RB 2227-28		
		1-3/8	1-3/4	2	0.600	RB 2228-16
				2-1/4	0.663	RB 2228-18
				2-1/2	0.741	RB 2228-20
				3	0.884	RB 2228-24
				3-1/2	1.038	RB 2228-28
				4	1.186	RB 2228-32
		1-3/8	1-7/8	3	1.230	RB 2230-24
				3-1/2	1.430	RB 2230-28
				4	1.630	RB 2230-32
4-1/2	1.848			RB 2230-36		
1-3/8	2	3	1.620	RB 2232-24		
		4	2.130	RB 2232-32		
1-3/8	2-1/8	6-1/2	4.290	RB 2234-52		
1-7/16	1-5/8	1-3/4	0.256	RB 2326-14		
		2-3/4	0.402	RB 2326-22		
		3	0.439	RB 2326-24		
1-7/16	1-11/16	2-1/2	0.496	RB 2327-20		
		3	0.595	RB 2327-24		
		3-1/2	0.694	RB 2327-28		
		4	0.794	RB 2327-32		
4-1/2	0.844	RB 2327-34				
1-7/16	1-3/4	2-1/4	0.580	RB 2328-18		
1-7/16	1-3/4	3	0.757	RB 2328-24		
		4	1.000	RB 2328-32		
1-7/16	1-13/16	3	0.926	RB 2329-24		
		3-1/4	1.170	RB 2329-26		
		3-1/2	1.070	RB 2329-28		
		4	1.230	RB 2329-32		
		4-1/4	1.311	RB 2329-34		
5	1.543	RB 2329-40				
1-7/16	1-7/8	3	1.099	RB 2330-24		
		4	1.466	RB 2330-32		
		4-1/2	1.645	RB 2330-36		
		5	1.850	RB 2330-40		
		1-7/16	1-15/16	2	0.870	RB 2331-16
1-7/16	1-15/16	3	1.280	RB 2331-24		
		3-1/2	1.510	RB 2331-28		
		4	1.707	RB 2331-32		
		4-1/2	1.910	RB 2331-36		
		5	2.120	RB 2331-40		
5-1/2	2.346	RB 2331-44				
1-7/16	2	4	1.954	RB 2332-32		
1-1/2	1-5/8	2	0.196	RB 2426-16		
1-1/2	1-11/16	2-3/4	0.413	RB 2427-22		
1-1/2	1-3/4	1/2	0.103	RB 2428-04		

ID	OD	Length	Unit Net Weight	Description
1-1/2	1-3/4	1	0.206	RB 2428-08
		1-1/4	0.257	RB 2428-10
		1-1/2	0.306	RB 2428-12
		1-3/4	0.361	RB 2428-14
		2	0.411	RB 2428-16
		2-1/4	0.464	RB 2428-18
		2-1/2	0.515	RB 2428-20
		3	0.620	RB 2428-24
		3-1/2	0.722	RB 2428-28
		4	0.825	RB 2428-32
4-1/2	0.928	RB 2428-36		
5	1.020	RB 2428-40		
5-1/2	1.134	RB 2428-44		
1-1/2	1-13/16	3	0.787	RB 2429-24
1-1/2	1-7/8	1-1/2	0.480	RB 2430-12
		2	0.636	RB 2430-16
		2-1/2	0.820	RB 2430-20
		2-3/4	0.875	RB 2430-22
		3	0.960	RB 2430-24
1-1/2	1-7/8	3-1/2	1.110	RB 2430-28
		4	1.300	RB 2430-32
		4-1/2	1.430	RB 2430-36
		5	1.601	RB 2430-40
		5-1/2	1.750	RB 2430-44
1-1/2	2	2	0.880	RB 2432-16
		2-1/2	1.110	RB 2432-20
		3	1.326	RB 2432-24
		3-1/2	1.560	RB 2432-28
		4	1.760	RB 2432-32
4-1/2	2.020	RB 2432-36		
5	2.230	RB 2432-40		
1-1/2	2-1/8	3	1.715	RB 2434-24
		4	2.287	RB 2434-32
1-1/2	2-1/4	3	2.120	RB 2436-24
		4	2.880	RB 2436-32
		5	3.548	RB 2436-40
1-9/16	1-13/16	6-1/2	4.612	RB 2436-52
		3	0.643	RB 2529-24
		3-1/2	0.740	RB 2529-28
1-9/16	1-13/16	4	0.857	RB 2529-32
		3-1/2	1.150	RB 2531-28
4-1/2	1.510	RB 2531-36		

Randall Cast Bronze Standard Bushings

ID	OD	Length	Unit Net Weight	Description
1-5/8	1-7/8	2-1/4	0.499	RB 2630-18
		3	0.666	RB 2630-24
		3-3/4	0.840	RB 2630-30
1-5/8	2	1-3/4	0.598	RB 2632-14
		2-1/2	0.870	RB 2632-20
		3	1.032	RB 2632-24
		3-1/2	1.204	RB 2632-28
		4	1.376	RB 2632-32
		4-1/2	1.548	RB 2632-36
		5	1.740	RB 2632-40
1-5/8	2-1/8	3	1.421	RB 2634-24
		4	1.920	RB 2634-32
		4-1/2	2.120	RB 2634-36
		5	2.360	RB 2634-40
1-11/16	1-15/16	3	0.683	RB 2731-24
		3-1/2	0.806	RB 2731-28
1-11/16	2	3-1/2	1.020	RB 2732-28
		4-1/2	1.320	RB 2732-36
1-11/16	2-1/16	3	1.068	RB 2733-24
		3-1/2	1.240	RB 2733-28
		4	1.410	RB 2733-32
		4-1/2	1.590	RB 2733-36
		5	1.770	RB 2733-40
1-11/16	2-3/16	2	0.960	RB 2735-16
		2-1/2	1.220	RB 2735-20
		3	1.460	RB 2735-24
		3-1/2	1.700	RB 2735-28
		4	1.950	RB 2735-32
1-11/16	2-1/4	3	1.678	RB 2736-24
		4-1/2	2.510	RB 2736-36
1-3/4	2	1	0.238	RB 2832-08
		1-1/2	0.357	RB 2832-12
		2	0.471	RB 2832-16
		2-1/4	0.535	RB 2832-18
		2-1/2	0.595	RB 2832-20
		3	0.714	RB 2832-24
		4	0.943	RB 2832-32
		4-1/2	1.071	RB 2832-36
		5-1/4	1.249	RB 2832-42
1-3/4	2-1/16	3-1/2	1.050	RB 2833-28
1-3/4	2-1/8	2-1/2	0.913	RB 2834-20
		2-3/4	1.011	RB 2834-22
		3-1/4	1.210	RB 2834-26
		3-1/2	1.310	RB 2834-28

ID	OD	Length	Unit Net Weight	Description
1-3/4	2-1/8	4	1.460	RB 2834-32
		4-1/4	1.562	RB 2834-34
		5	1.838	RB 2834-40
		5-1/2	2.050	RB 2834-44
1-3/4	2-1/4	1-3/4	0.884	RB 2836-14
		2	1.020	RB 2836-16
		2-1/2	1.260	RB 2836-20
		3	1.516	RB 2836-24
		3-1/2	1.768	RB 2836-28
		4	2.021	RB 2836-32
		4-1/4	2.140	RB 2836-34
1-3/4	2-3/8	3-1/2	2.277	RB 2838-28
		4-1/2	2.928	RB 2838-36
		5	3.300	RB 2838-40
1-3/4	2-1/2	6-1/2	5.226	RB 2840-52
1-13/16	2-3/16	4	1.510	RB 2935-32
		5-1/4	2.020	RB 2935-42
1-13/16	2-5/16	4	2.070	RB 2937-32
		5	2.640	RB 2937-40
1-7/8	2-1/8	2-1/2	0.634	RB 3034-20
		3	0.761	RB 3034-24
		4	1.015	RB 3034-32
1-7/8	2-1/4	3	1.174	RB 3036-24
		3-1/4	1.260	RB 3036-26
		4	1.565	RB 3036-32
		5	1.980	RB 3036-40
1-7/8	2-3/8	3	1.611	RB 3038-24
		4	2.148	RB 3038-32
		5-1/4	2.800	RB 3038-42
1-15/16	2-3/16	2	0.530	RB 3135-16
		3	0.786	RB 3135-24
		4	1.048	RB 3135-32
1-15/16	2-1/4	3	0.995	RB 3136-24
		4-1/2	1.492	RB 3136-36
1-15/16	2-5/16	3-1/2	1.412	RB 3137-28
		4	1.600	RB 3137-32
		5	2.018	RB 3137-40
		5-1/2	2.220	RB 3137-44
		6-1/4	2.522	RB 3137-50
1-15/16	2-3/8	3	1.420	RB 3138-24
		4	1.940	RB 3138-32
		5-1/2	2.660	RB 3138-44
1-15/16	2-7/16	3	1.660	RB 3139-24
		4	2.200	RB 3139-32
		5	2.750	RB 3139-40
		5-1/2	3.041	RB 3139-44
1-15/16	2-1/2	3	1.880	RB 3140-24

ID	OD	Length	Unit Net Weight	Description
1-15/16	2-1/2	5	3.140	RB 3140-40
2	2-1/4	2	0.539	RB 3236-16
		2-1/2	0.674	RB 3236-20
		3	0.809	RB 3236-24
		3-1/2	0.944	RB 3236-28
		3-3/4	1.000	RB 3236-30
		4	1.070	RB 3236-32
		4-1/2	1.200	RB 3236-36
		5	1.348	RB 3236-40
2	2-3/8	1-1/8	0.467	RB 3238-09
		1-1/2	0.622	RB 3238-12
		2	0.830	RB 3238-16
		2-1/2	1.038	RB 3238-20
		3	1.245	RB 3238-24
		3-1/2	1.453	RB 3238-28
		4	1.650	RB 3238-32
		4-1/2	1.868	RB 3238-36
2	2-1/2	2	1.136	RB 3240-16
		2-1/2	1.420	RB 3240-20
		3	1.700	RB 3240-24
		3-1/2	1.989	RB 3240-28
		4	2.273	RB 3240-32
		4-1/2	2.558	RB 3240-36
		5	2.880	RB 3240-40
		5-1/2	3.160	RB 3240-44
		6	3.460	RB 3240-48
2	2-5/8	4	2.918	RB 3242-32
2	2-3/4	6	5.391	RB 3244-48
		6-1/2	5.841	RB 3244-52
2-1/8	2-1/2	3	1.310	RB 3440-24
		4	1.755	RB 3440-32
2-1/8	2-5/8	4	2.390	RB 3442-32
		5	3.000	RB 3442-40
		6	3.600	RB 3442-48
2-3/16	2-5/8	4	2.130	RB 3542-32
		5	2.648	RB 3542-40
2-3/16	2-11/16	3-1/2	2.080	RB 3543-28
		4	2.450	RB 3543-32
		4-1/2	2.772	RB 3543-36
		5	3.081	RB 3543-40
2-3/16	2-3/4	4-1/2	3.200	RB 3544-36
		5-1/4	3.730	RB 3544-42
		6	4.270	RB 3544-48
2-3/16	2-7/8	4-1/2	3.940	RB 3546-36
2-1/4	2-1/2	3	0.895	RB 3640-24
		3-1/2	1.055	RB 3640-28
		4	1.208	RB 3640-32
2-1/4	2-5/8	3	1.387	RB 3642-24

Randall Cast Bronze Standard Bushings

ID	OD	Length	Unit Net Weight	Description
2-1/4	2-5/8	4	1.850	RB 3642-32
		5	2.313	RB 3642-40
2-1/4	2-11/16	4-3/4	2.880	RB 3643-38
2-1/4	2-3/4	2	1.263	RB 3644-16
		3	1.894	RB 3644-24
		3-1/2	2.240	RB 3644-28
		4	2.510	RB 3644-32
		4-1/2	2.830	RB 3644-36
		5	3.158	RB 3644-40
		6	3.789	RB 3644-48
		6-1/2	4.105	RB 3644-52
2-1/4	3	3-1/2	3.476	RB 3648-28
		5	5.030	RB 3648-40
2-1/4	3-1/8	6-1/2	7.723	RB 3650-52
2-3/8	2-3/4	4	1.945	RB 3844-32
		5	2.420	RB 3844-40
		6	2.960	RB 3844-48
2-3/8	2-7/8	4	2.652	RB 3846-32
		5	3.300	RB 3846-40
		6	3.979	RB 3846-48
2-7/16	2-3/4	4	1.643	RB 3944-32
		5	2.050	RB 3944-40
2-7/16	2-7/8	3	1.750	RB 3946-24
		5	2.938	RB 3946-40
2-7/16	2-15/16	4	2.750	RB 3947-32
		5	3.420	RB 3947-40
		6-1/4	4.245	RB 3947-50
2-7/16	3	3-3/4	2.896	RB 3948-30
		5	3.862	RB 3948-40
		6-1/4	4.828	RB 3948-50
2-1/2	2-3/4	3	0.990	RB 4044-24
		4	1.332	RB 4044-32
		5	1.665	RB 4044-40
2-1/2	2-7/8	3-1/4	1.650	RB 4046-26
		4-1/2	2.320	RB 4046-36
2-1/2	3	3	2.110	RB 4048-24
		3-3/4	2.640	RB 4048-30
		4	2.779	RB 4048-32
		5	3.510	RB 4048-40
		6	4.168	RB 4048-48
		7	4.863	RB 4048-56
		2-1/2	3-1/8	3-1/2
4	3.590	RB 4050-32		
4-1/2	4.004	RB 4050-36		
6-3/4	6.080	RB 4050-54		
2-1/2	3-1/4	4	4.420	RB 4052-32
		5	5.451	RB 4052-40
		6	6.542	RB 4052-48

ID	OD	Length	Unit Net Weight	Description
2-1/2	3-1/4	7-1/4	7.905	RB 4052-58
2-1/2	3-1/2	6-1/2	9.847	RB 4056-52
2-5/8	3	3	1.601	RB 4248-24
		4	2.120	RB 4248-32
		5	2.669	RB 4248-40
2-5/8	3-1/8	5	3.690	RB 4250-40
		6	4.410	RB 4250-48
		7-1/4	5.284	RB 4250-58
2-5/8	3-1/4	7	6.505	RB 4252-56
2-5/8	3-3/8	6-1/2	7.395	RB 4254-52
2-11/16	3-3/16	4	3.010	RB 4351-32
		5	3.750	RB 4351-40
		6-1/4	4.654	RB 4351-50
2-3/4	3-1/8	4	2.239	RB 4450-32
		5	2.799	RB 4450-40
		6	3.359	RB 4450-48
2-3/4	3-1/4	4	3.020	RB 4452-32
		5	3.860	RB 4452-40
		6	4.563	RB 4452-48
		7	5.280	RB 4452-56
2-3/4	3-3/8	4	3.920	RB 4454-32
		6-1/2	6.370	RB 4454-52
2-3/4	3-1/2	6-1/2	7.780	RB 4456-52
2-7/8	3-3/8	4	3.190	RB 4654-32
		6	4.580	RB 4654-48
		8	6.337	RB 4654-64
2-7/8	3-1/2	4-1/2	4.537	RB 4656-36
		6-3/4	6.806	RB 4656-54
2-15/16	3-7/16	3-1/2	2.800	RB 4755-28
		5	4.080	RB 4755-40
		6-1/2	5.252	RB 4755-52
2-15/16	3-3/4	7	9.610	RB 4760-56
3	3-3/8	4-1/2	2.710	RB 4854-36
		8	4.860	RB 4854-64
3	3-1/2	3	2.471	RB 4856-24
		4	3.295	RB 4856-32
		4-1/2	3.707	RB 4856-36
		5-1/2	4.560	RB 4856-44
		6	5.010	RB 4856-48
		9	7.414	RB 4856-72
3	3-5/8	5	5.200	RB 4858-40
		6-1/2	6.890	RB 4858-52
		8	8.383	RB 4858-64
3	3-3/4	6-1/4	7.999	RB 4860-50
3	4	6-1/2	11.487	RB 4864-52
3-1/4	3-1/2	4	1.724	RB 5256-32
3-1/4	3-3/4	5	4.435	RB 5260-40
		6	5.323	RB 5260-48

ID	OD	Length	Unit Net Weight	Description
3-1/4	3-3/4	9	7.984	RB 5260-72
3-7/16	3-15/16	4-1/2	4.205	RB 5563-36
		6-1/2	6.075	RB 5563-52
3-1/2	4	4	3.802	RB 5664-32
		5-1/2	5.227	RB 5664-44
		6	5.703	RB 5664-48
		7	6.653	RB 5664-56
3-1/2	4-1/8	6	7.235	RB 5666-48
3-1/2	4-1/4	4-1/2	6.612	RB 5668-36
		7	10.285	RB 5668-56
		9-3/4	14.326	RB 5668-78
3-3/4	4-1/4	5	5.069	RB 6068-40
		7	7.096	RB 6068-56
3-3/4	4-1/2	6-1/2	10.167	RB 6072-52
4	4-1/2	4	4.308	RB 6472-32
		6	6.463	RB 6472-48
		7	7.540	RB 6472-56
4	4-3/4	5	8.294	RB 6476-40
		6	9.953	RB 6476-48
		7	11.611	RB 6476-56
		4	5	5
4	5	6	13.632	RB 6480-48
		7	15.904	RB 6480-56
		4-1/4	4-3/4	5
4-1/4	5	6	6.843	RB 6876-48
		7	7.983	RB 6876-56
		4-1/4	5	5
4-1/4	5	6	10.521	RB 6880-48
		7	12.275	RB 6880-56
		4-1/2	5	6
4-1/2	5	7	8.530	RB 7280-56
		8	9.630	RB 7280-64
		4-1/2	5-1/2	6
4-1/2	5-1/2	7	17.670	RB 7288-56
		8	20.460	RB 7288-64
5	5-1/2	6	7.983	RB 8088-48
		7	9.380	RB 8088-56
		8	10.740	RB 8088-64
5	6	7	19.436	RB 8096-56
		8	22.213	RB 8096-64
		9	24.989	RB 8096-72

Randall Cast Bronze Standard Bushings

CAST BRONZE MATERIAL SPECIFICATIONS

Chemical Composition	Tensile Strength	Yield Strength
Copper 83% 35000 PSI 20000 PSI Tin 6.9% Lead 7% Zinc 2.5%	35000 PSI	20000 PSI
Elongation IN 2"	Brinell Hardness	Comparable Specifications
10%	65 @ 500 Kg load	SAE 660 C93200 ASTM B505 QQ-C390E7

TOLERANCES

I.D. 3" OR LESS $\pm .001"$
 OVER 3" $\pm .0015"$
 O.D. 3" OR LESS $+.002"$ TO $.003"$
 OVER 3" $+.003"$ TO $.005"$
 LENGTH $\pm .005"$

METRIC SIZES

ID	OD	Length	Unit Net Weight	Description
10	15	10	0.019	M 1015-10
10	15	16	0.031	M 1015-16
10	15	25	0.048	M 1015-25
12	15	12	0.015	M 1215-12
12	15	16	0.020	M 1215-16
12	15	20	0.025	M 1215-20
12	16	12	0.021	M 1216-12
12	16	16	0.028	M 1216-16
12	16	20	0.035	M 1216-20
12	16	25	0.043	M 1216-25
12	18	12	0.033	M 1218-12
12	18	16	0.044	M 1218-16
12	18	20	0.055	M 1218-20
14	18	14	0.028	M 1418-14
14	18	18	0.036	M 1418-18
14	18	22	0.043	M 1418-22
14	20	14	0.044	M 1420-14
14	20	18	0.057	M 1420-18
14	20	22	0.069	M 1420-22

METRIC SIZES


ID	OD	Length	Unit Net Weight	Description
15	19	16	0.034	M 1519-16
15	19	20	0.042	M 1519-20
15	21	16	0.053	M 1521-16
15	21	20	0.067	M 1521-20
16	20	16	0.035	M 1620-16
16	20	20	0.044	M 1620-20
16	22	16	0.056	M 1622-16
16	22	20	0.070	M 1622-20
16	22	25	0.088	M 1622-25
18	22	18	0.045	M 1822-18
18	22	22	0.054	M 1822-22
18	24	18	0.070	M 1824-18
18	24	22	0.086	M 1824-22
18	25	18	0.084	M 1825-18
18	25	22	0.102	M 1825-22
20	24	16	0.044	M 2024-16
20	24	20	0.055	M 2024-20
20	26	16	0.068	M 2026-16
20	26	20	0.085	M 2026-20

METRIC SIZES

ID	OD	Length	Unit Net Weight	Description
20	26	25	0.106	M 2026-25
20	28	16	0.095	M 2028-16
20	28	20	0.118	M 2028-20
22	27	18	0.068	M 2227-18
22	27	22	0.083	M 2227-22
22	28	18	0.083	M 2228-18
22	28	22	0.102	M 2228-22
22	29	18	0.099	M 2229-18
22	29	22	0.121	M 2229-22
25	30	20	0.085	M 2530-20
25	30	25	0.106	M 2530-25
25	32	20	0.123	M 2532-20
30	38	38	0.319	M 3038-38


All special machining requirements must be quoted.

Oil Grooving - Special Machining



Standard Randall groove styles fulfill most requirements. Special designs or combinations can be furnished if desired. In ordering, specify type and depth of groove and whether it should run out the ends.

Graphited Bronze Bearings - Special Machining



For intermittent light service, or with oil or grease lubrication.

For light loads or intermittent service, to provide ample lubrication without other lubricants.

For lubrication of sliding or reciprocating shaft motion.

For high heat applications. A minimum wall thickness of 1/8" is required for this type of graphiting.

For controlled lubrication in housings with oil reservoir.



RANDALL



RANDALL
INNOVATION IN MOTION

Randall Bearings, Inc

P.O. Box 1258
Lima, Ohio 45802

Phone: (419) 223-1075
Fax: (419) 228-0200

www.RandallBearings.com